

PROCOOL POWER WB PREMIX RED MATERIAL SAFETY DATA SHEET

Issue 1 Issue Date: September 2023

SECTION 1 IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name: PROCOOL POWER WB PREMIX RED

Company: Recochem Inc. ABN: 69 010 485 999

Address: 1809 Lytton Road, Lytton, Queensland 4178

Phone: (07) 3308 5200

Fax: (07) 3308 5201

Emergency Telephone Number: Day - (07) 3308 5200 After Hours - 1300 131 001

Other Names: Water Based Engine Coolant

Manufacturer's Product Code: 41600

Recommended Use: Radiator Coolant

SECTION 2 HAZARDS IDENTIFICATION

CLASSIFIED AS HAZARDOUS ACCORDING TO CRITERIA OF WORKSAFE AUSTRALIA

NOT A DANGEROUS GOODS ACCORDING TO THE CRITERIA OF THE ADG CODE

GHS Classification

Skin Sensitisation - Category 1

Reproductive Toxicity - Category 1



Signal Word:

WARNING

Hazard

H317 - May cause an allergic skin reaction

Statements:

H360 - May damage fertility or the unborn child

Precautionary

P101 If Medical advice is needed, have product

Statements:

container or label at hand

GENERAL	
P101	If medical advice is needed, have product container or label at hand
P102	Keep out of reach of children
P103	Read label before use
PREVENTATIVE	
P261	Avoid breathing fume/mist/vapours/spray
P280	Wear protective gloves/protective clothing/eye protection/face protection
P272	Contaminated work clothing should not be allowed out of the workplace
P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood

PROCOOL POWER WB PREMIX RED MATERIAL SAFETY DATA SHEET

Issue 1 Issue Date: September 2023

RESPONSE	
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention
P337 + P313	IF ON SKIN (or hair): Take off contaminated clothing and wash before reuse
P303 + P361 + P353	Rinse skin with water/shower
P304+340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
P312	Call a POISON CENTER or doctor/physician if you feel unwell
STORAGE	
P403+233	Store in a well-ventilated place. Keep container tightly closed
P405	Store locked up
DISPOSAL	
P501	Dispose of contents/container in accordance with local regulations

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients

Chemical Entity	CAS Number	Proportion (%)
Hydrated Inorganic Salts, Organic Acid salts	Proprietary	<15
Water	7732-18-5	>85

SECTION 4 FIRST AID MEASURES

FIRST AID TREATMENT

Inhalation: Keep victim calm and remove to fresh air if safe to do so. If rapid recovery does not occur, transport to nearest medical facility for additional treatment.

Skin: If skin contact occurs, remove contaminated clothing and wash skin thoroughly with water and follow by washing with soap if available. If irritation persists, seek medical attention.

Eye: If in eyes, hold eyes open, flood with water for at least 15 minutes. If irritation persists, seek medical attention.

Ingestion: If swallowed, do NOT induce vomiting. Have conscious person drink several glasses of water or milk. SEEK IMMEDIATE MEDICAL ATTENTION.

SYMPTOMS CAUSED BY EXPOSURE

Inhalation: May include a temporary burning sensation of the nose and throat, coughing, and/or difficulty breathing.

Skin: May include burning sensation, redness, swelling and/or blisters.

Eye: May include burning sensation, redness, swelling and/or blurred vision.

Ingestion: May include nausea, vomiting, abdominal cramps, diarrhoea, lumbar pain shortly after ingestion, and possibly narcosis and death. Kidney toxicity may be recognized by blood in the urine or increased or decreased urine flow.

Medical Attention and Special Treatment: Treat symptomatically.

PROCOOL POWER WB PREMIX RED MATERIAL SAFETY DATA SHEET

Issue 1 Issue Date: September 2023

SECTION 5 FIRE FIGHTING MEASURES

Suitable Extinguishing Equipment: Foam, water spray or fog. Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only. Do not use water in a jet.

Specific Hazards Arising from the Chemical: Carbon dioxide and/or carbon monoxide may be evolved if incomplete combustion occurs. Material will not burn unless preheated. When heated to decomposition, emits acrid smoke and irritating fumes. Not a product presenting risks of explosion.

Special Protective Equipment and Precautions for Fire Fighters: Wear full protective clothing and self-contained breathing apparatus.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Observe all local and national regulations.

Personal Precautions, Protective Equipment and Emergency Procedures: Avoid contact with spilled or released material. Do NOT ingest. Shut off leaks, if possible without personal risks. Isolate hazard area and deny entry to unnecessary or unprotected personnel. Remove all sources of ignition in the surrounding area. Ventilate contaminated area thoroughly.

Environmental Precautions: Use appropriate containment to avoid environmental contamination. Prevent from spreading and entering waterways using sand, earth or other appropriate barriers.

Methods and Materials for Containment and Cleaning Up: For small spills (< 1 drum), transfer by mechanical means to a labelled, sealable container for product recovery or safe disposal. Allow any residues to evaporate or use an appropriate absorbent material and dispose of safely. For larger spills (> 1 drum), transfer by means such as a vacuum truck to a salvage tank for recovery or disposal. Do not flush residues with water. Retain as contaminated waste. Allow any residues to evaporate or use an appropriate absorbent material and dispose of safely.

SECTION 7 HANDLING AND STORAGE

Precautions for Safe Handling and Storage: Avoid breathing vapours. Do NOT ingest. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Do not eat, drink or smoke in contaminated areas. Handle and open containers with care in a well-ventilated area. Ensure that the workplace is ventilated such that the Occupational Exposure limit is not exceeded. Do not empty into drains.

Conditions for safe storage, including any incompatibilities: Store in a cool, well-ventilated area, away from sunlight, ignition sources and other sources of heat. Do not store near strong oxidisers. Do not allow to freeze.

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Control Measures: Handle in the presence of adequate ventilation.

Biological Monitoring: No biological limit allocated.

Engineering Controls: Ensure that adequate ventilation is provided. Maintain air concentrations below recommended exposure standards. Avoid generating and inhaling mists and vapours. Keep containers closed when not in use.

Individual Protection Measures

Eye and Face Protection: Wear safety goggles.

Skin Protection: Use solvent resistant gloves, nitrile for longer term protection or PVC and neoprene for incidental splashes.

Respiratory Protection: If work practices do not maintain airborne level below the exposure standard, use appropriate respiratory protection equipment. When using respirators, select an appropriate combination of mask and filter. Select a filter for organic gases and vapours (boiling point > 65°C). Respirators should comply with AS1716 or an equivalent approved by a state/territory authority.

Thermal Hazards: N/A

PROCOOL POWER WB PREMIX RED MATERIAL SAFETY DATA SHEET

Issue 1 Issue Date: September 2023

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL DESCRIPTION	CHEMICAL PROPERTIES
Appearance	Clear, slightly viscous, red liquid
Odour	None
pH	8.7 (typical)
Melting point/freezing point (°C)	0
Initial boiling point and boiling range (°C)	100
Density (g/ml @ 20°C)	1.02
Solubility	Soluble in water

SECTION 10 STABILITY AND REACTIVITY

Reactivity: Avoid concentrated strong acids, oxidising agents and bases. Do not expose to open flames.

Chemical Stability: Stable under normal conditions of use.

Conditions to Avoid: High temperatures, flames and other sources of ignition.

Incompatible Materials: Strong oxidising agents, strong acids, strong alkalis.

Hazardous Decomposition Products: Burning can produce carbon monoxide and/or carbon dioxide, ammonia organic and/or nitrogen-containing vapours.

SECTION 11 TOXICOLOGICAL INFORMATION

HEALTH EFFECTS

Acute toxicity:

Skin: May cause skin irritation; prolonged contact may cause dermatitis.

Eye: Contact may cause eye irritation.

Respiratory: Not expected to be a sensitiser.

Reproductive: May damage fertility or the unborn child.

Specific Target Organ Toxicity (STOT) – Single Exposure: May cause drowsiness or dizziness. Inhalation of vapours or mists may cause irritation to the lungs and respiratory system.

Specific Target Organ Toxicity (STOT) – Repeated Exposure: No evidence of STOT with repeated exposure.

Toxicity to Animals: Low toxicity in animals - LD50 Oral (rat) = 520 mg/kg, (mouse) = 257 mg/kg.

SECTION 12 ECOLOGICAL INFORMATION

Persistence/degradability: Biodegradable.

Bioaccumulative Potential: Does not bioaccumulate significantly.

Mobility in soil: Dissolves in water. If product enters soil, one or more constituents will be mobile and may contaminate groundwater.

SECTION 13 DISPOSAL CONSIDERATIONS

Disposal Methods: Ensure waste disposal conforms to local waste disposal regulations.

SECTION 14 TRANSPORT INFORMATION

UN Number: N/A

Class: N/A

Hazchem Code: N/A

Proper Shipping Name: N/A

Packing Group: N/A

PROCOOL POWER WB PREMIX RED MATERIAL SAFETY DATA SHEET

Issue 1 Issue Date: September 2023

SECTION 15 REGULATORY INFORMATION

Poisons Schedule: Not Scheduled

AICS: Listed

Dangerous Goods Initial Emergency Response Guide (SAA/SNZ HB76:2010): N/A

SECTION 16 OTHER INFORMATION

Further Information may be obtained by contacting Recochem on (07) 3308 5200.

This SDS summarises product safety information at the date of issue, to the best of our knowledge, as a general guide. Recochem cannot anticipate or control the conditions under which the product is used, so prior to usage each user must assess and control the risks associated with their use of the product. Users should also consult the relevant legislation governing the use and storage of this product. We make no warranties, express or implied, and assume no liability in connection with any use of information contained within this document. If clarification or further information is needed, the user should contact Recochem on (07) 3308 5200.